INFORMATION DISCLOSURE **CITATION** 

(Use several sheets if necessary)

ATTY, DOCKET NO.

SERIAL NO.

10/584,470

APR 2 9 2009

**CHIBBER** 

FILING DATE

604-781 APPLICANT

GROUP

10/584,470

1623

U.S. PATENT DOCUMENTS

*EXAMINER			PATENT DOCUMENTS		FILING	DATE
INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS IF APPRO	
	5,360,733	11/1994	Minoru Fukuda et al		•	
	5,461,143	10/1995	Chi-Huey Wong et al			
	5,470,879	11/1995	Yves Sauvaire et al			
	5,827,884	10/1998	Zein E Obagi			
	6,294,157	09/2001	Gilles Rubinstenn et al			
	2002/0016314	02/2002	Endre Markovits Schersi			
	2002/0107292	08/2002	Karlheinz Bortlik et al			
	2007254847A1	09/2005	Zhongrong Liu et al			
		FOREI	CN DATENT DOCUMENTS			

FOREIGN PATENT DOCUMENTS

					TRANSLATION	
DOCUMENT	DATE	COUNTRY	CLASS	SUBCLASS	YES	NO
 4303214 A1	11//1994	DE				NO
03271224 A	03/1991	JP Abstract				
 2004-143126	05/2004	JР			-	
2027434	01/1995	RU			YES	
833254	05/1981	SU	Ī			NO
 01/58932	08/2001	PCT				
2003/043433	05/2003	PCT				
2003/066679	08/2003	PCT				
 2003/092394	11/2003	PCT				
2004/074461	09/2004	PCT				
1998/14459	04/1998	PCT				
2006/034655	04/2006	PCT			ABSTR	
 OTHER DOC	LIMENITO /:	saluding Author Title Date Portings	2000	ia \		·

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

Akhov LS et al; Biological activity of Deltoside from ALLIUM NUTANS L., Saponins in Food, Feedstuffs and Medicinal Plants Chapter 23, pages 227-231

Belozerskaya V, et al, Effect of steroid glycosides on Neurospora crassa Membranes; Applied Biochemistry and Microbiology, Vol 30, No. 6 1994 pages 724-728

Brockhausen I et al; The separation of liquid chromatography (under elevated pressure) of phenyl, benzyl, and o nitrophenyl glycosides of oligosaccharides. Analysis of substrates and products for four N-acetyl \_p.Glucosaminyltransferases involved in mucin synthesis; Carbohydrate Research, 120(1983) pages 3-16

Brower Thomas D et al; Rheumatoid Arthritis; Journal of the Kentucky Medical Association, May 1983, pages 281-286 Chen C et al; Yunnan Zhiwu Yanjiu, Vol 9 (4) 495-502

Chiang HC et al Xanthine Oxidase Inhibitors from the Roots of Eggplant (Solanum melongena L), J. Enzyme Inhibition

1993, Vol 7, pp 225-235

Deepak M et al., Quantitative Determination of the Major Saponin Mixture Bacoside A in Bacopa monnieri by HPLC; Phytochemical Analysis 16, pages 24-29 )2005)

Djerassi C et al., J. Biol Chem. 1952 Jan; 194(1) 115-8

*Examiner	Date	Considered				
Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Initial a						
this form with next communication to application.						

INFORMATION DISCLOSURE	ATTY, DOCKET NO.	SERIAL NO.
CITATION	604-781	10/584,470
	APPLICANT	
	CHIBBER	
(Use several sheets if necessary)	FILING DATE	TC/A.U.
	June 22, 2006	1623
	June 22, 2000	\
Eisenreichova E et al. 549-550	, A new steroidal saponin from the bu	lbs of Lilium candidum., Pharmazie (2000) 55 (7) pages
Faul William h et al., S	ide-chain Transformations and Deute 970 pages 2571 – 2585	rium Labeling in the Steroidal Sapogenin Series., J. Org.
		emosus on systemic Th1/Th2 immunity, Implications for
immuno adjuvant poter	itial. J. ethnopharmacology, 121, 241	247 (2009).
Garai S. et al., Bacopa 2, pp 447-449	saponin D-A Pseudojujubogenin Gly	coside from Bacopa Monniera; Phytochemistry, Vol 43, No.
	tile Constituents of Fenugreek Seeds	
	ural revision of shatavarins I and IV, n Letters 47 (2006) 6965-6969	the major components from the roots of Asparagus
Hosny M et al., Balanii Phytochemistry, vol 31	· · · · · · · · · · · · · · · · · · ·	Methyl-Diosgenin from Balanites Aegyptiaca,
	aponins. Cambridge University l	Press UK. (1995).
Hou C et al., Bacopasi 65 1759-1763	de III, Bacopasaponin G, and Bacopa	sides A, B, and C from Bacopa Monniera, J. Nat. Prod 2002,
Hu K et al., Protodioso	in (NSC-698 796) Its Spectrum of C n Panel, Planta Med 2002; 68: 297-30	totoxicity Against Sixty Human Cancer Cell Lines in an
Hu K et al., The cytoto		89), a furostanol saponin from the rhizomes of Dioscorea
	oxicity of Methyl Protoneodioscin (N	SC-698791) Against Human Cancer Cell Lines In Vitro:
	stic Agents; 1. Three Spirostanol Gly	cosides from Rhizomes of Dioscorea Collettii var.
		agus Spp.: Bioyigyanam 6: 27-35, 1980
1 1	•	nd A. Senescens, and their inhibitory activity on tumour hytochemistry Vol 40, No. 2, pp 521-525 (1995)
Jin M et al., Cytotoxic	Steroidal Saponins from Polygonatur	n zanlanscianense, J. Nat. Prod., 67, 1992-1995. (2004)
FASAB Journal, March	2002, Vol 16 pp 438-440	event early diabetic retinopathy via TNF-α suppression: The
* Derwent Publications I (abstract)	td., London, GB AN 2001-412294 &	JP 2001 072597 A (Mercian) Corp; 21 March 2001;
Kim H et al., Chemica	1 Synthesis of 15-Ketosterols and the Il Chemistry, Vol 3, No. 4, pp 367-37	r Inhibitions of Cholesteryl Ester Transfer Protein:
		n Tribulus terrestris: Z Naturforsch, 57c, pp33-38 (2002)
		es and their antitumor activities: Carbohydrate Research 338
Liu M et al., Synthesis	of (25R)-ruscogenin-1-yl β-D-xylop nydrate Research 329 (2000) 745-754	$\gamma$ ranosyl-(1→3)-[β-D-glucopyranosyl-(1→2)]-β-D-
Liu H et al., New Furos		of Dioscorea Futschauensis R. Kunth: Journal of Asian
Liu M et al., Diosgenia	n induces cell cycle arrest and apoptonemother Pharmacol (2005) 55: 79-90	sis in human leukemia K562 cells with the disruption of Ca <sup>2+</sup>
*Examiner	Da	e Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

INFORM	IATION DISCLOSURE	ATTY. DOCKET NO.	SERIAL NO.
	CITATION	604-781	10/584,470
		APPLICANT	
		CHIBBER	
(Use	several sheets if necessary)	FILING DATE	TC/A.U.
·	.,		
		June 22, 2006	1623
	Made 7 et al Ferrencele	(T. i. a. alla Es anumana sanna) sa	a means of reducing postprandial glucose level in diabetic
		rnational June 1984, Vol 29, No.	
			n bisdesmosides from Bacopa monniera: Phytochemistry 53
	Markine-Goriaynoff N et a	cation despite contributing to pos	cosaminyltransferase-M encoded by bovine herpesvirus 4 is t-translational modifications of structural proteins: Journal of
	Melo PS et al., Cytotoxicit		derivatives in rat cultured hepatocytes and V79 fibroblasts:
			IUM BROWNII: Phytochemistry, Vol 29, No 7, pp 2267-227
	(11) 2506-2510	•	orresponding Pregnane Glycosides: Chem. Pharm. Bull. 20
	Cockroach: Bioorganic & I	Medicinal Chemistry, Vol 4, No.	
	membranes; J> Pharm Dyr	a. 2, 374-382 (1979)	ells as well as with the phosphatidylcholine liposomal
		ffect of steroidal saponins from r Acta Pharmacologica Sinica 2006	nizome of Anemarrhena asphodeloides on ovarietomy- June: 27 (6) pp 728 734
	Ori K et al., Norlanostane Activity; Chem. Pharm. Bu		he Bulbs of Chionodoxa Luciliae and Their Cytotoxic
	Paseshnichenko VA et al., Microbiol. 1975, II (1) p 83		nins from dioscorea deltoidea Rhizomes; Applied Biochem.
		e Triterpene Saponin from <i>Baco</i> Planta Med 67 (2001) pp 752-75-	pa monniera as the Superoxide inhibitor in
	Quan HJ et al., Preparation 659-669	ns of heterospirostanols and their	pharmacological activities; Eur. J Med. Chem 37 (2002) pp
	tissues by reversing the alto 224: 45-51, 2001	ered glycolytic, gluconeogenic an	owder improves glucose homeostasis in alloxan diabetic rat d lipogenic enzymes; Molecular and Cellular Biochemistry
	(1984)		ncreatic Secretions in Dogs; Ann Nutr Metab 28: 37-43
			ained from asparagus; Cancer Letters 104 (1996), 31-36
Ì	Shao Y et al., Steroidal Saj	oonins from Asparagus officinalis	and Their Cytotoxic Activity; Planta Medica 63 (1997) 258
			d Glucose and Serum Insulin Responses in Human Subjects;
			ens; Phytochemistry, Vol 21, No. 8, pp 2075-2078 (1982)
	Shimomura H et al; 26-O-Chem. Pharm. Bull. 36 (8)		rdarinoside A and B from the Bulbs of Lilium Pardarinum;
			nsive mononuclear phagocyte infiltration. Neurochem. res.
			a Structures of Polyphyllin G and H; Phytochemistry, Vol 21
*Examiner		l Da	te Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Sheet	4	of	4
Jueci	_	OI.	-

INFORMATION DISCLOSURE		ATTY. DOCKET NO.	SERIAL NO.	
	CITATION	604-781	10/584,470	
		APPLICANT		_
		CHIBBER		
(Use s	everal sheets if necessary)	FILING DATE	TC/A.U.	_
		June 22, 2006	1623	_
	Delivery, 9: 55-62, 2002		i-Leishmanial Properties in Various Delivery Modes; Drug	
	15 257-259 (2001)		Extract as an Antineoplastic Agent; Phytotherapy Research	
	of core2 beta1, 6-N-acetyls (Suppl. 2), 1-35	glucoseaminyltransferase (core2	Ince of diabetic neuropathy and foot ulceration: a potential r GlcNAcT-I) [core 2 transferase]. Diabetic Medicine, 21	ole
	Proteinuria; Diabetes Care	, Vol 23, No. 3 pp 417-418	Jeutrophils from Type 2 Diabetic Patients with Overt	
	Tribosten – box from samp	ole of a protodioscin containing	extract sold by Thermolife International.	
	Vachalkova A <i>et al.</i> , Poter Neoplasma, 47, 5, 2000 pp		activity of compounds isolatyed from Lilium candidum L;	
	Vasileva.,. Composition an		al Glycosides from cell suspensions of <i>Dioscorea deltoidea</i>	!
		perties of Saponins from Diosco	rea deltoidea Wall Rhizomes. Prikl Biokhim Mikrob, 1975,	, II
			nsferase (core 2 GlcNAc-T) expression in normal rat	
	tissues and different cell lin (1998)	nes: evidence for complex mech	anisms of regulation. Glycobiology vol. 8 no. 7 pp. 731–740	0,
	Wall; Applied Biochemistr	ry and Microbiology, Vol 31, No	Glycosides from Cell Suspensions of <i>Discorea Deltoidea</i> b. 2 1995, pp 206-209	
	In "Saponins used in Tradi	tional and Modern Medicine" E	res of Dioscorea Deltoidea Cells and Their Biological Activ ds Waller and Yamasaki, Plenum Press New York.	vity
	Microbol. 1977, 13 (2) pp1	28-131	from Dioscorea deltodea Rhizomes; Applied Biochem	
		ares of three new steroidal alkalo cifolium; Chem. Pharm. Bull. 38	id glycosidesm solaverines I, II and III from Solanum (3) pp 827-829	
	568		vays in bovine synoviocytes; Biochem. Cell Biol. 82 pp559-	-
		dies on chemical constituents ar rbal Drugs, 34(12) 1146-1149 (2	d pharmacological effect of Trigonella foenum-graecum.	
		osgenyl α-L rhamnopyranosyl-( onins;Carbohydrate Research 3	$1\rightarrow 2$ )-[β-D-glucopyrampsyl- $\{1\rightarrow 3\}$ ]-β-D-glucopyranoside	
	Yu B et al., First Synthesi 1999, 121, pp 12196-1219	s of a Bidesmosidic Triterpene S	Saponin by a Highly Efficient Procedure; J.AM.Chem.Soc.	
	Zou CC et al., The synthes Research 338 (2003) pp 72		ypical representatives of spirostanol glycosides; Carbohydra	ate
*Examiner			ate Considered	

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.